

Project Name:

Fixture Type:


Date:

Completed #:

E.G. Completed Order #:

Aluminum Micro Drop In Round Bollard

Area, Modular, Aluminum, Round Bollard (Aluminum Micro Module Not Included), 10-15V (A2A2)




FINISHES



SPECIFICATIONS

Electrical / Power: 3.5W / 5.6 VA / 10-15V	Weight: 2.69 lb
Construction / Body: Aluminum	Dimming:
Lens / Gaskets:	Ambient Operating Temperature:
Wiring: 6' Lead Wire	Control:
LED Life:	Warranty: Housing Warranty: 10 Years; Finish Warranty: 5 Years
Installation Requirements: Remote low voltage power supply/transformer required	LED Engine: Lumens: 23 / CRI: 80+




* Product specifications, materials, and availability may change without notice. Actual fixtures may vary from the information shown.

Project Name:		Fixture Type:		Date:	
Completed #:		E.G. Completed Order #:			

Aluminum Micro Drop In Round Bollard

Product Line Drawings



Standard Included Accessories



1/2" Threaded 8" Stake
with ADJ Collar

* Product specifications, materials, and availability may change without notice. Actual fixtures may vary from the information shown.

Ordering Guide

01 LED Engine

02 Wattage

03 CCT

04 Spread

05 Finish

LumienLighting.com
REV 09042026

Project Name:

Fixture Type:

Date:


Completed #:

E.G. Completed Order #:


Performance Characteristics & Beam Spread Charts

Input Power	3.5W
Color Temperature (CCT)	30K
Color Rendering Index (Ra)	80+
Beam Angle	40
Max. Candlepower	5.6 cd
Delivered Lumens	23 lm
Efficacy	6.5 lm/W

POLAR GRAPH - INTENSITY



CONE OF LIGHT - ILLUMINANCE



* Product specifications, materials, and availability may change without notice. Actual fixtures may vary from the information shown.

Project Name:

Fixture Type:

Date:

Completed #:

E.G. Completed Order #:

LED Engine Characteristics

LED Engine	Beam Spread	CCT (K)	CRI	Input Power (W)	RGB	Control	VA	Multiplier for 30K	Delivered Lumens (Lm)
I1-A2A2	40	30K	80+	5.5W	No		8.4		32
I2-A2A2	40	30K	80+	3.5W	No		5.6		23

* Product specifications, materials, and availability may change without notice. Actual fixtures may vary from the information shown.