

Project Name:

Fixture Type:

Date:

Completed #:

E.G. Completed Order #:

Brass Deco Directional Replacement Module


Accessory, Aluminum, Replacement Module, Compatible with Deco Brass Series, Available in Multiple Variations, 10-15V



FINISHES

SPECIFICATIONS

Electrical / Power: 5W-10W / VA / 10-15V	Weight: 0.28 lb
Construction / Body: Aluminum	Dimming: PRO: 0-100%; Primary (MLV/ELV): 25%-100%
Lens / Gaskets: 40° Lens Included	Ambient Operating Temperature: -4°F- 122°F (-20°C-50°C)
Wiring: Not applicable	Control: CORE: Primary (MLV/ELV); PRO: With LP-REMOTE
LED Life: 50,000 Hrs	Warranty: Housing Warranty: Lifetime; Finish Warranty: 10 Years; LED Warranty: 10 Years
Installation Requirements: Remote low voltage power supply/transformer required	LED Engine: Lumen output varies based on shroud selection.



IP65

* Product specifications, materials, and availability may change without notice. Actual fixtures may vary from the information shown.

Project Name:


Fixture Type:

Date:

Completed #:

E.G. Completed Order #:

Product Line Drawings



Standard Included Accessories

* Product specifications, materials, and availability may change without notice. Actual fixtures may vary from the information shown.

