LUMIEN

Quick Connect

Project Name: | Fixture Type: | Date:

Completed #: | E.G. Completed Order #:

# Brass Micro Bollard Hat, (1) 90° Opening

BQCM-CAP-088-(A/BK)

Accessory, Brass, Micro, Bollard Cap, (1) 90° Opening



**FINISHES**

Brass Antique

Brass Black

**SPECIFICATIONS**


**Construction:**
Brass

**Weight:**
0.82 lb

**Warranty:**
Housing Warranty: Lifetime; Finish Warranty: 10 Years

**Dimensions:**
1.69"x3.74"

**Standard Included Accessories:**
(1) Micro O-ring, 2mm Allen Key




* Product specifications, materials, and availability may change without notice. Actual fixtures may vary from the information shown.

Info@LumienLighting.com
770 485 9002

1488 Bells Ferry Road
Marietta, GA 30066

**LumienLighting.com**

LUMIEN

# Quick Connect

Project Name: | Fixture Type: | Date:

Completed #: | E.G. Completed Order #:

## Ordering Guide

| 01 Variant | | 02 Finish | |
|---|---|---|---|
| | – | | |
| BQCM-CAP-088<br>Micro Bollard Hat, (1) 90° Opening | | A<br>BK | Antique<br>Black |

* Product specifications, materials, and availability may change without notice. Actual fixtures may vary from the information shown.

Info@LumienLighting.com
770 485 9002

1488 Bells Ferry Road
Marietta, GA 30066

**LumienLighting.com**
REV 11172026

LUMIEN

# Quick Connect

Project Name: | Fixture Type: | Date:

Completed #: | E.G. Completed Order #:

## Compatible LED Engines

**Instructions:** LED engines and accessories ordered separately.

| 01 LED Engine | 02 Wattage | 03 CCT | 04 Spread | 05 Finish |
|---|---|---|---|---|
| **M4B1**<br>Micro, CORE Series | 3.5W<br>5.5W | 27K<br>30K | 40<br>60 | **A** Antique<br>**R** (only available in 5.5W 40°) |
| **M7B1**<br>Micro, PROTW Series | 4.5W | 27K-57K | 15<br>40<br>60 | **A** Antique<br>**BK** Black (only available in 40°) |
| **M8B1**<br>Micro, PRORGBW Series | 3W | 27K<br>30K | 40 | **A** Antique<br>**BK** Black |
| **M0B1**<br>Micro Turtle Safe, PROdim Series | 4.5W | AMBR | | **A** Antique |

Info@LumienLighting.com
770 485 9002

1488 Bells Ferry Road
Marietta, GA 30066

**LumienLighting.com**